


Rinne / channel:

FILCOTEN light: NW200, C250
BG code: siehe Tabelle / see table





Rinne / channel - Maße / dimensions [mm]					
BG code	Typ	Höhe A height A	Höhe B height B	Länge length	Gewicht weight V/E [kg]
10320000	0	200	200	1000	37,2
10320050	0 (0,5m)	200	200	500	18,6

Legende / explanation:	
FCT:	FILCOTEN HPC
V:	verzinkter Stahl / galvanized steel
E:	Edelstahl / stainless steel
G:	Gußeisen / ductile iron
H:	Holz / wood

Roste, Abdeckungen / grates, covers:

Gussrost / Ductile iron grating: MW 15/30, C250
BG code: GJS 17020100; 7,8 kg:




A (1 : 2)



Schlitzaufsatz / slot top NW 200:


Schlitzaufsatz SW 12,5mm, SH 150, C250

BG code: V 17120243 (17120244), E 17120343 (17120344); 8,9 kg (4,5 kg):





Revisionsschacht SW 12,5mm, SH 150, C250


BG code: V 17120281, E 17120381; 8,3 kg:



Sinkkasten / Sump unit:
inkl. Schlammemeier / incl. silt bucket (22512; 0,7 kg)
BG code: FCT 10320092; 51,8 kg:



Stirnplatte / end cap:
BG code: V 19020230, E 19020330; 0,8 kg



Endplatte mit Ablauf / end cap with outlet
BG code: V 19020232, E 19020332; 0,5 kg:

